



TECHNICAL SPECIFICATIONS

ARTICLE ANNECY

Article's description:

- Thickness: 0.9/1.1 mm.
- Average hide size: 50 - 55 sqft.
- Chrome tanned, dyed through pigmented leather.
- Soft handle with a waxy semi matt finish.
- Applications: Contract , Residential , Marine

FASTNESS TESTS

- Light fastness: > 5 Blue scale
- Rubbing fastness 500 cycles dry: > 4 Grey scale
- Rubbing fastness 250 cycles wet: > 4 Grey scale
- Rubbing fastness 80 cycles perspiration: > 4 Grey scale
- Finish adhesion: > 2 N/cm
- Flexing endurance: No finish damage cracks after 50,000 cycles
- Tear strength: Min 20 N/mm
- Flammability: Cigarette and Match: Pass; Crib 5 and IMO: On Request.

CHEMICAL SPECIFICATIONS

This leather is produced with raw materials and processes that ensure respect for the environment and safeguarding of the health of its workers and the end user. In reference to the possible presence of toxic or harmful restricted chemical substances, we declare what follows.

The products do not contain hexavalent chromium.

All raw materials are free from lead, mercury, cadmium, nickel, arsenic and antimony.

Cobalt may be present in non-toxic forms.

PCP, TCPs are not used in the productive cycle.

Anti-moulds, fungus and biocides containing dimethyl fumarole are not used.

The chemicals used can contain a maximum of 0.1% wt. of phthalates.

Disperse dyes and dyes which by reductive degradation may release forbidden amines are not used.

Despite formaldehyde is not being used in the production cycle, it can be present in trace amounts in some chemicals. The maximum value on the final product is 75 ppm.

Chemical products containing chlorofluorocarbons are not used.

The concentration of total alkyl phenols is less than 100 ppm.

Chemical products containing organotin substances are not used.

Chemicals containing short-chain chlorinated paraffin's are not used.

Dimethylformamide or products that can contain it are not used.

Fluorinated gases are not used.

Chemicals containing polycyclic aromatic hydrocarbons are not used.

Compliant with REACH regulation.

CMR (or CMT) substances with carcinogenic, mutagenic and toxic to reproduction effects cat. 1 and 2, as defined by Directive 67/548/EEC and subsequent amendments are not used.

Chemicals containing PCBs and PCPs are not used.

Chemical products containing asbestos are not used.

All the items are made from bovine hide (Washington Convention – CITES).

Average Panel Sizes In Hides

Annecey

50 sq.ft hide

Vertical panel 100cm x 200cm


Horizontal panel 150cm x 160cm

Product Description:

Soft, pigmented leather with a matt finish

Applications:

Residential, Contract, Marine & Fashion



Please note that these are average panel sizes; depending on the shape of the hide there can be differences. This should be used as a guideline only.